



07.10.24

EUROPEAN FEDERATION RADIO CONTROLLED AUTOMOBILES

Samples of Motors included on this list have been checked for compliance to EFRA Rules for: Brushless 'Spec.' 10.5T Motors.

Only Motors included on this list, can be used at EFRA Sanctioned events (EC or GP), for:

The Motor Class designated for the event.

Whilst sample Motors submitted have been found to conform with EFRA rules for 'Spec' Brushless Motors, it is the responsibility of ALL competitors to ensure that the versions they use also comply with all EFRA rules and requirements.

NOTE: These motors differ from Brushless 'Modified' Motors

| | | NOTE: These motors differ f | rom Brushless 'Modified' Motors. | |
|----------------------------|--|--|---|--|
| Motor Builder | Type/ Range | Illustration only | Notes | Approval Date |
| | | sal of the laminates. Also 4.9 & 4.16 | .8 (including 01.03.21 amendment) requiring access to stato (including 01.03.21 amendment) which requires the Rotor to go & Part # on shaft. | |
| United Sino Enterprises | ORCA Blitreme3A Part # MO24BT3U105A (EFRA version) | COLUMN TO A STATE OF THE STATE | Sensored system. Stator bonded, but has access holes. Wind printed on stator. Adj. timing 5/60. All screws magnetic, steel shielded magnetic bearings. Small dia. steel location pin 5mm long bonded in stator groove. Rotor with ORCA, Part # RT23HS12548 on shaft. Option rotor: RT18M125258 on shaft. | 07.10.24 |
| Reds Racing | VX3 Part # MTTE 0035P | 10.5T VX3 | Sensored system. Red Al. timing plate. Adjustable timing 0-50. End-Caps remove, cut-outs for measuring stator. All screws magnetic, Al. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE0041 on shaft. Option rotor: MSTE0031 | 07.10.24 Rotor change. See also 2020 Approvals |
| Core RC | Core RC Star Series Fixed timing. Part # CR856 | COST COST | Sensored system. "Y" Wind. Black Al. End-Caps with Core RC. Fixed timing. Stator bonded but wind etched on collector ring. All screws magnetic, steel shielded magnetic bearings. Rotor with Name, Part # CR859 on shaft. | 04.07.22 |
| Nosram | XTEC Nosram N22 Part # 920200 | NSS STA | Sensored system. "Y" Wind. Black Al. End-Cap with XTEC. Adj. timing 0/60. Wind etched on stator, visable. Body screws non-magnetic, timing screws magnetic, steel shielded magnetic bearings. Rotor with Nosram & Part # 920522 on shaft. Option rotor: 920521. | 07.02.22 |
| Ruddog | Ruddog RP542 Part # RP-0446 | | Sensored system. 4 side screws retain End-Cap. Timing insert with Ruddog. Adjustable timing 0/+60. Wind & RP542 on stator visible. 3mm colector ring. All screws magnetic, Al. sensor housing, magnetic steel shielded bearings. Stator bonded. Rotor with name & Part #:- RP-0435 | 05.04.21 |
| Team Powers | Actinium V4.0 Pt. # TPBLM 105100 ACT-V4 | E Grinneniyas | Sensored system. Black AI. one piece Can. 4 full length slots. Team Powers on End-Cap. Wind on stator. Adjustable timing 0-60. Body screws non-magnetic, timing screws magnetic, AI. sensor housing, steel shielded bearings. Rotor with name, Part # TP125G-R2. Option rotor: TP123G-R2 | 01.03.21 |
| | | sal of the laminates. Also 4.9 & 4.1 | 4.8 (prior to 01.03.21 amendment) requiring access to stator 6 (prior to 01.03.21 amendment) which requires the Rotor to price Logo & Part #. | |
| Performa | p1 Radical Stock Part # PA9407 | RADICAL PLANT RADICAL PLANT PL | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+40. Wind in screw slots. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name. Part # PA9355. | 07.12.20 05.07.21 Part # updated |
| Konect | K1 Elite Stock Part # K11901007 | CELLE MELLINE STOCK | Sensored system. "Y" Wind. Stator not bonded and removes for checking. Wind on stator visible. Adjustable timing 0/60. All screws magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part #: K1/12.5C7.2 on flat | 06.07.20 |

| Reds Racing | VX3 Part # MTTE 0035 Also: MTTE 0035C See notes | 10.5T VX3 | Sensored system. "Y" Wind. Red AI. timing plate. Adjustable timing 0-50. Caps. remove, cut-outs for measuring stator. All screws magnetic, AI. sensor housing & retaining plate, magnetic steel shielded bearings. Rotor with name & Part # MSTE 0030. Motor with Part # ending with C has non-magnetic long body screws. | 03.02.20 09.11.20 |
|------------------|---|--|--|----------------------|
| Absima | CTM V.3 Part # 2130059 | The second secon | Sensored system. Stator removes, access holes. Absima logo End-Cap, wind on sleeve & stator. Adj. timing 0/50. Single collector ring. Body & timing screws non-magnetic, Al. retaining housing, magnetic steel shielded bearings. Rotor with name & Part # CTM STK N42UH. | 03.02.20 |
| Corally | Vulcan Stock Part # C-61110 | The state of the s | Sensored system. "Y" Wind. Can with Vulcan Stock & wind on stator. Adj. timing 0-60 deg. Stator removes. All screws magnetic, Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: 61130 | 07.10.19 |
| Surpass | Rocket-RC V5R Part # SUR 51105 | VER STOCK CHILLIAN | Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. 3mm colector ring. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Steel body screws supplied with kit, allowed. Rotor with Surpass, Part # C75125 on shaft. Option rotor: C77123 on shaft. | 30.09.19 |
| RC Concept | RC Concept CR10 Part # 20410105 | FOWER DELET | Sensored system. "Y" Wind. Stator bonded. Adjustable timing 0/+60. Wind etched on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. Rotor with name. Part # 50126. | 03.06.19 |
| RC Streamline | WS Line Part # E19105 | NEW CONTRACTOR OF THE PARTY OF | Sensored system. "Y" Wind. Sleeve with WS Line & wind on stator. Adj. timing 0-60 deg. Has stator access. Body screws non-magnetic, timing screws magnetic. Al. sensor housing. Steel shielded bearings. Rotor with name & Part #: WSL540S | 22.04.19 |
| LRP | XTEC X22 Part # 520200 | | Sensored system. "Y" Wind. Black Al. End-Bell with XTEC. Adj. timing 0/60. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, steel shielded bearings. Rotor with LRP & Part # 520522, 12.5S on shaft. Option rotor: 520521, 12.3S on shaft. Later motors have two full length slots, and are allowed. | 14.01.19 01.07.19 |
| SMC | Lowrider Part# SMCLR42105 | Scotter 2) | Sensored system. "Y" Wind. No centre sleeve, End-Caps remove. Adjustable timing +10/+54 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: LR712542 | 24.12.18 |
| Sky RC | ARES Pro. V2.1 Part # SK-400003-57 | | Sensored system. "Y" Wind. Stator removes. Adjustable timing +5/+55 deg. Wind etched on stator. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with name & part #: SK-400003-20 | 03.12.18 |
| Surpass | Rocket V4S Stock Spec. Part # SUR7105 | WAS STOCK WWW. | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind etched on stator. Body screws non-magnetic, timing screws magnetic, Al. retaining housing, steel shielded bearings. Rotor with Surpass, Part # C75125 on shaft. Option Rotor: C77123 on shaft. | 17.09.18 12.11.18 |
| Hobbywing | Xerun V10 G3 Pt # | Xangun -10.5T | Sensored system. "Y" Wind. Black Alu. End-Caps, plastic timing insert. Rotor with one Alu. bal. ring. Adjustable timing +30/+ 60 deg. Stator and wind visible. All screws magnetic, Al. retaining housing, steel shielded bearings. Rotor Part # 30820018. Option rotor 30820406. | 26.03.18 24.12.18 |
| | 30401112 | 1 | Later versions can have mounting end-cap chamfer plain aluminium with no black paint. | 06.07.20 |

| Motiv | MC2 Part # MOV101052S | | Sensored system. "Y" Wind. Alu. timing plate with MOTIV logo. Both End-Caps remove, hysol stator ends. Adjustable sensor plate timing 0/+40 deg. Has stator access. All screws magnetic, full Al. sensor housing, steel shielded bearings. Rotor part # MOV1330 | 19.02.18 |
|----------------------------|--|--|---|----------------------|
| Reds Racing | VX2 Part # MTTE 0021 | ID.ST VX2 | Sensored system. "Y" Wind. Red Al. timing adjuster. Adjustable timing 0-50. Stator removes & has wind etched. Magnetic screws, Al. sensor housing & retaining plate, steel shielded bearings. Rotor with name & Part # MSTE0017. Option rotor MSTE 0018 | 15.01.18 |
| Arrowmax | Dash R-Tune Part # DA740105 | Dash E- | Sensored system. "Y" Wind. Stator removes. Adjustable timing 0/+60 deg. Wind on stator. All screws magnetic, Al. retaining plate, steel shielded bearings. (Non-magnetic body screws included with kit). Rotor with DASH:- Part # - DA-730003. Shaft RSS125. | 01.01.18 19.02.18 |
| NOTE: | | AND STEEL SHIELD | 17, WERE HOMOLOGATED WITH MAGNETIC SCREDED BEARINGS FITTED. | WS |
| | Changing the Monster | ese items invalidates the Moto | r Part # stated and contravenes App.4 Rule 4.6. Sensored system. 'Y' Wind. Green end-plate has Trinity & | |
| Trinity | Horsepower Part # | HORSEPOWER | Monster Horsepower etched. Stator sleeve with Trinity, M & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring. Rotor with name & | 16.10.17 09.04.18 |
| | TEP 1500 "M" | 10.5T TRIBUTY | Part # TEP1112, later versions TEP1119. Either options allowed. | 09.04.10 |
| Muchmore | FLETA ZX V2 Part # | FLETAZXZE | Sensored system. "Y" Wind. Al. timing plate, adjust. timing 0-50. Stator removes but can be seen through holes. Wind etched on stator. Shaft etched with rotor dia. Rotor with name & part #. | 24.07.17 |
| | MR-V2ZX105ER | | Rotor Part #: MR-FZR 21Y. Optional rotor #'s: All MR-FZR :- 18TI, 19Z, 21TIZ, 21Z | 31.10.17 |
| PRT Electronic | PRT AIRs 10 Part # A10105S | | Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor with name & Part # 125RSHT. Option rotor: 123RSHT | 31.05.17 |
| Tesla | Tesla EP Part # TS-194105T-S | Speciosy A Dig | Sensored system. "Y" Wind. Blue Alu. Can & End-Caps. Timing insert with Tesla logo etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible. Rotor Part # TS-194136 | 15.05.17 |
| PRT Electronic | PRT AIR 10 Part # A10105 (2017 ver.) | TOWN TO SERVICE TO SER | Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, PRT on End-Plate. Adjustable timing. Caps remove. Wind marked on sleeve. Has stator access. Rotor with name & Part # 125RSHT. Option rotor: 123RSHT | 15.05.17 |
| Hobbywing | Xerun Justock 3650 G2 Pt # 30408004 | THE STATE OF THE PARTY OF THE P | Sensored system. "Y" Wind. Black Alu. Can & End-Cap with Justock 3650G2. Nickel sintered rotor with one Alu. bal. ring. No timing adjustment. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A. | 15.05.17 |
| R1 Brushless Motor Lab. | R1 Part # R1-105B-125-V15 BRCA & EFRA | 10.5 21 | Sensored system. "Y" Wind. End-Plate with R1 (only) etched. Stator sleeve with wind. Rotor with black balance ring. Adjustable timing 0-60 deg. Has stator access. Collector ring 3mm thick. Motors with epoxy filled windings not approved. Rotor with name & Part #: R1-125-720-002 Option rotors: R1-123-720-001, R1-125-720-001 | 13.02.17 03.04.17 |
| Orion | Vortex Ultimate Stock LW (2016) # ORI28368 | | Sensored system. "Y" Wind. Full dia. Black sleeve with removable Alu. End-Plates, all retained with long screws. Adjustable timing 0/+40. Wind etched. Two sensor plug. Rotor has name & part # ORI 41554. Option Rotor: ORI 41553 | 23.01.17 |

| Maclan | MRR Part # MCL1014 | Maclan | Sensored system. "Y" Wind. Black Can & End-Cap with copper timing plate & logo. Nickel rotor with one red Alu. bal. ring. Adjustable timing +20/+ 60 deg. Stator removes easily. Rotor Part # MCL4075. Optional rotors # MCL4076 & MCL4093. | 16.01.17 |
|--|---|---|---|----------------------------------|
| Tianco | ORCA RT Pt. # OMT105RT | | Sensored system. "Y" Wind. Black Can & E/Cap. Stator has access slots. Stator accepts 14.5mm gauge. ORCA RT & wind etched on End-Cap. Adjustable timing +/-50. Rotor with name & Part # ORR325S1. Option rotors:- ORR 425S0, 233SL, 238SL, 253SL, 258SL. | 16.01.17 |
| Ruddog | Ruddog RP540 Part # RP-0012 | | Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visable on stator. Rotor Part # RP-12.5-7.2 | 05.09.16 |
| Fenix | Fenix DFV2 Pt. # FM00105- 2 | FERIX DEV ² 10.5 | Sensored system. "Y" Wind. Black Alu. Can & End-Caps. Timing insert with Fenix DFV2 etched. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Laminates.visible. Rotor Part # AP67-B. Option rotor: MF72-B | 05.09.16 |
| Corally | Dynospeed Spec. 3.0 Part # C-61100 | TANK THE MEMBERS AND THE PARTY OF THE PARTY | Sensored system, two ports. "Y" Wind. One end of stator visable but stator removes. Stator has EFRA & wind etched. Wind etched on End-Cap. End-Cap Alum., adjustable timing, no numbers. Rotor with logo, Part # 61130 | 08.08.16 |
| Tekin | Redline Gen3 Part # TT2708 | EENE & 10.5T | Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722 | 16.05.16 |
| Hobbywing | Xerun V10 G2 Pt # 30101106 | Windows Stock | Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-12.5-A Option Rotor # 30820015 stamped 7-12.5-U-B Option End-Cap, timing +30/+60, Part # 30820054 | 18.01.16 12.12.16 21.11.16 |
| Reedy | Reedy Sonic M3 - SS 1S Part # 285 | | Sensored system. "Y" Wind. Black Alu. Cap & Sleeve, Alu. timing insert with 'R' logo. Adjustable sensor plate timing 0/+ 50 deg. Caps remove and stator can be removed, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # 272. Optional Rotors #s: 273, 286. | 28.12.15 15.05.17 |
| Turnigy | Trackstar V2 Pt # 84388 | | Sensored system. "Y" Wind. Stator slides from sleeve.Sleeve with wind etched. Adjustable sensor plate timing 0-50 deg. Has stator access. Wind etched on stator. Rotor with name, sizes & Part #. Rotor Part # 919000281 | 23.11.15 |
| For Homologations before 2016 See:- Brushless ARCHIVE, All Wind Classes before 2016. | | | | |
| | Paul Worsley. (E | EFRA Brushless Motor Homolog | ation Officer). email: paul.g.worsley@gmail.com | 07.10.24 |